



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

April 10, 2009

Keith Nelson
8310 83rd St CT NW
Gig Harbor, WA 98332

Dear Mr. Nelson:

We are currently reviewing water right permit G2-28188 issued to Mulligan/Taggart Partnership with a priority date of June 13, 1991 (see enclosed copy of permit). I contacted Tom Mulligan (who was listed in the Department of Health's website as the contact for this water system) who indicated that you are the current contact for this system which has been renamed the David Day Road Water System.

The water right permit for this system is currently in the *Proof of Appropriation* phase which means we are trying to determine the amount of water used prior to issuing a Certificate of Water Right. A Certificate of Water Right can only be issued based on full beneficial use of water up to what the permit allows.

Since you are the current contact for the water system, we want to give you the opportunity to pursue completing the water right process. In order to do this, there are a few steps you will need to take to bring the permit into good standing.

First, you will need to have the permit assigned to the David Day Road Water System with you as the contact. If you are unable to locate the previous owner, please fill out the assignment form to the best of your ability,

- Fill out the enclosed *Assignment of Application or Permit to Appropriate or Store Water* form, remember to have the form **notarized** and return it to Ecology with the **\$50.00 assignment fee**.

The Assignment form asks if you can meet the development schedule of the permit. If you are not able to, item #4, allows you to request an extension of the development schedule for the same \$50 processing fee.

Second, if you need to request an extension of the development schedule, your request must be in writing and include the following information:

- A description of the efforts you have made to complete the project.
- A schedule for completing the project.
- Reasons why the project has not been completed.
- Any additional information that will assist us in evaluating your request for an extension.



I'm enclosing a publication titled, "*Frequently Asked Questions about Extensions for Water Right Permits and Change Authorization*" with instructions on requesting the extension. Please mail your check or money order with the appropriate forms to:

Department of Ecology
Cashiering Section
PO Box 47611
Olympia, WA 98504-7611

If you have completed this project and put the water to beneficial use:

- Please complete and submit the enclosed *Proof of Appropriation* form to:

Department of Ecology
P.O. Box 47775
Olympia, WA 98504-7775


Please be aware that if and when you file your *Proof of Appropriation* form, you will be required to document the actual beneficial use of your water. To quantify this use, meter records are preferred. The Department may require you to collect water measurement data before issuing a Certificate of Water Right.

After you receive the Certificate of Water Right, the water right process is complete. I'm enclosing a publication titled, "*Frequently Asked Questions – Water Rights in Washington*" which discusses the process to obtain a water right for your information.

It is important that you respond **within 30 days from the date of this letter** to ensure that the permit remains in good standing. If you are no longer interested in pursuing the project, please contact this office within 30 days to let us know.

If you have any questions, please feel free to contact me at (360) 407-6066 or by e-mail at mbee461@ecy.wa.gov.

Sincerely,



Marsha Beery
Water Resources Program

Enclosures: Water Right Permit #G2-28188
Assignment of Application or Permit to Appropriate or Store Water,
Proof of Appropriation form,
Extensions for Water Right Permits and Change Authorizations,
Water Rights in Washington



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

March 11, 2009

Tom Mulligan
7216-B 87th Ave NW
Gig Harbor, WA 98335

Dear Mr. Mulligan:

We are currently reviewing water right permit G2-28188 issued to Mulligan/Taggart Partnership with a priority date of June 13, 1991(see enclosed permit).

In our last contact with you, this water right permit was in the *Proof of Appropriation* phase which means we were trying to determine the amount of water used prior to issuing a Certificate of Water Right. A Certificate of Water Right can only be issued based on full beneficial use of water up to what the permit allows. Full beneficial use means the project is at full build out, all the water is in use, and the provisions of the permit have been met.

If you are still interested in pursuing this project, please complete and submit the enclosed *Proof of Appropriation* form. Please have the form notarized and include the parcel number for the point of withdrawal/diversion. Send the completed *Proof of Appropriation* form to:

Department of Ecology
P.O. Box 47611
Olympia, WA, 98504-7611

Please be aware that if and when you file your *Proof of Appropriation*, you will be required to document the actual beneficial use of your water. To quantify this use, meter records are preferred. The Department may require you to collect water measurement data before issuing a water right certificate.

If you haven't put the water to full beneficial use and still intend to, then you will need to request an extension of the development schedule. Your request must be in writing and include the following information:

- A description of the efforts you have made to complete the project.
- A schedule for completing the project.
- Reasons why the project has not been completed.
- Any additional information that will assist us in evaluating your request for an extension.



- \$50 fee.


I'm enclosing a publication titled, "*Frequently Asked Questions about Extensions for Water Right Permits and Change Authorization*" for instructions on requesting the extension. Please mail your check or money order with the appropriate forms to:

Department of Ecology
Cashiering Section
PO Box 47611
Olympia, WA 98504-7611

It is important that you respond **within 30 days from the date of this letter** to ensure that the permit is not cancelled.

If you are no longer interested in pursuing the project, please contact this office and let us know. I'm also enclosing a publication titled, "*Frequently Asked Questions – Water Rights in Washington*" which discusses the process to obtain a water right. If you have any questions, please feel free to contact me at (360)407-6066 or by e-mail at mbee461@ecy.wa.gov.

Sincerely,



Marsha Beery
Water Resources Program

Enclosures: Water Right Permit #G2-28188
Proof of Appropriation form
Extensions for Water Right Permits and Change Authorizations
Water Rights in Washington



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

March 11, 2009

Tom Mulligan
7216-B 87th Ave NW
Gig Harbor, WA 98335

Dear Mr. Mulligan:

I'm wondering if you can help me? I am currently reviewing water right permit #G2-28188 issued to Mulligan/Taggart Partnership with a priority date of June 13, 1991 (see enclosed permit).

In reviewing the records on the Department of Health's website, I find that the water system at David Day Road Water System fits the description of the point of withdrawal and place of use described in the permit. The information also shows that you are the contact person for this water system so I am wondering if you know whether or not this is the same system as in the permit? The reason I am asking is that the permit is due to be cancelled and I want to contact the right person who may want to keep it active.

I would appreciate hearing from you within 30 days from the date of this letter if you have any information. If you have any questions, please feel free to contact me at (360)407-6066 or by e-mail at mbee461@ecy.wa.gov.

Sincerely,

Marsha Beery
Marsha Beery
Water Resources Program

Enclosures: Water Right Permit #G2-28188





Division of Environmental Health Office of Drinking Water

Individual System View - DAVID DAY ROAD WATER SYSTEM - Water System Id - 02404

Compliance Actions		Operating Permits		Operators		Reports			
General Information		Source Information		Monitoring Requirements Summary		Samples		Exceedances	
Group	B	Status	Inactive	Ownership Type	Private				
Type		Residential Population	18	Jurisdiction	WA DOH ODW				
County	PIERCE	NonResidential Populatoin	0	System Effective Date	4/28/1993				
Owner Name	DAVID DAY ROAD WATER SYSTEM	Total Calculated Connections	6	System Inactive Date	3/17/1994				
Primary Contact	TOM MULLIGAN	Total Approved Connections	6	SMA Name					
Primary Contact Phone	(253) 851-2678	Distribution Capacity (gallons)	100	SMA Number					
Water System Mailing Address	7216-B 87TH AVE N W GIG HARBOR, WA 98335								

[Home Page](#) | [Find Water Systems](#) | [Find Water Quality](#) | [Downloads/Reports](#)

[DOH Home](#) | [Division of Environmental Health](#) | [Drinking Water Home](#) | [Drinking Water Contacts](#)
[Access Local Health](#) | [Privacy Notice](#) | [Disclaimer/Copyright Information](#)

Links to external resources are provided as a public service and do not imply endorsement by the Washington State Department of Health

Department of Health, Office of Drinking Water

Street Address:

243 Israel Road S.E. 2nd floor
Tumwater, WA 98501

Phone: (360) 236-3100

Mail:

PO BOX 47822
Olympia, WA 98504-7822

Send inquiries about DOH and its programs to the [Health Consumer Assistance Office](#)

Comments or questions regarding this Web site? Send email to [EH Help Desk](#) or call 360-236-3113.

Last Update : 10/16/2008



Division of Environmental Health Office of Drinking Water

Individual System View - DAVID DAY ROAD WATER SYSTEM - Water System Id - 02404

Compliance Actions	Operating Permits	Operators	Reports
General Information	Source Information	Monitoring Requirements Summary	Exceedances

Source 01 - WELL

Source Status	Inactive	Usage	Permanent	WRIA	Kitsap	Intertie Supplying System	NA
Type	Groundwater Well	Capacity (gpm)	32	Township	21	Intertie Supplying Number	NA
Effective Date	4/28/1993	Treated	Yes	Range	01E		
Inactive Date	3/17/1994	Metered	Yes	Section	02		
DOE Well Tag Number		Well Depth (ft)	218	Qtr/Qtr Section	SWSW		

Records 1 - 1 of 1

☐ Display as table with source treatment information

[Home Page](#) | [Find Water Systems](#) | [Find Water Quality](#) | [Downloads/Reports](#)

[DOH Home](#) | [Division of Environmental Health](#) | [Drinking Water Home](#) | [Drinking Water Contacts](#)
[Access Local Health](#) | [Privacy Notice](#) | [Disclaimer/Copyright Information](#)

Links to external resources are provided as a public service and do not imply endorsement by the Washington State Department of Health

Department of Health, Office of Drinking Water

Street Address:

243 Israel Road S.E. 2nd floor
 Tumwater, WA 98501

Phone: (360) 236-3100

Mail:

PO BOX 47822
 Olympia, WA 98504-7822

Send inquiries about DOH and its programs to the [Health Consumer Assistance Office](#)

Comments or questions regarding this Web site? Send email to [EH Help Desk](#) or call 360-236-3113.

Last Update : 10/16/2008




Pierce County, Washington

Public GIS



Contact




Copyright © 2009 Pierce County, Washington. All rights reserved.




Pierce County, Washington

Public GIS



Contact




Copyright © 2009 Pierce County, Washington. All rights reserved.




Pierce County, Washington

Public GIS



Contac



Copyright © 2009 Pierce County, Washington. All rights reserved.



Division of Environmental Health Office of Drinking Water

Individual System View - DAVID DAY WATER SYSTEM - Water System Id - 02176

Compliance Actions		Operating Permits		Operators		Reports
General Information		Source Information		Monitoring Requirements Summary		Exceedances
Group	B	Status	Active	Ownership Type	Private	
Type		Residential Population	22	Jurisdiction	WA DOH ODW	
County	PIERCE	NonResidential Populatoin	0	System Effective Date	2/5/1993	
Owner Name	DAVID DAY WATER SYSTEM	Total Calculated Connections	5	System Inactive Date		
Primary Contact	Martyn Adamson	Total Approved Connections	8	SMA Name		
Primary Contact Phone	(000)000-0000	Distribution Capacity (gallons)	0	SMA Number		
Water System Mailing Address	8302 83rd St Ct NW Gig Harbor, WA 98332					

[Home Page](#) | [Find Water Systems](#) | [Find Water Quality](#) | [Downloads/Reports](#)

[DOH Home](#) | [Division of Environmental Health](#) | [Drinking Water Home](#) | [Drinking Water Contacts](#)
[Access Local Health](#) | [Privacy Notice](#) | [Disclaimer/Copyright Information](#)

Links to external resources are provided as a public service and do not imply endorsement by the Washington State Department of Health

Department of Health, Office of Drinking Water

Street Address:

243 Israel Road S.E. 2nd floor
Tumwater, WA 98501

Mail:

PO BOX 47822
Olympia, WA 98504-7822

Phone: (360) 236-3100

Send inquiries about DOH and its programs to the [Health Consumer Assistance Office](#)

Comments or questions regarding this Web site? Send email to [EH Help Desk](#) or call 360-236-3113.

Last Update : 10/16/2008



Division of Environmental Health Office of Drinking Water

Individual System View - DAVID DAY WATER SYSTEM - Water System Id - 02176

Compliance Actions	Operating Permits	Operators	Reports
General Information	Source Information	Monitoring Requirements Summary	Samples
			Exceedances

Source 01 - WELL #1

Source Status	Active	Usage	Permanent	WRIA	Kitsap	Intertie Supplying System	NA
Type	Groundwater Well	Capacity (gpm)	7	Township	21	Intertie Supplying Number	NA
Effective Date	2/5/1993	Treated	Yes	Range	01E		
Inactive Date		Metered	Yes	Section	02		
DOE Well Tag Number		Well Depth (ft)	218	Qtr/Qtr Section	SWSW		

Records 1 - 1 of 1

☐ Display as table with source treatment information

[Home Page](#) | [Find Water Systems](#) | [Find Water Quality](#) | [Downloads/Reports](#)

[DOH Home](#) | [Division of Environmental Health](#) | [Drinking Water Home](#) | [Drinking Water Contacts](#)
[Access Local Health](#) | [Privacy Notice](#) | [Disclaimer/Copyright Information](#)

*Links to external resources are provided as a public service and do not imply endorsement
by the Washington State Department of Health*

Department of Health, Office of Drinking Water

Street Address:

243 Israel Road S.E. 2nd floor
Tumwater, WA 98501

Phone: (360) 236-3100

Mail:

PO BOX 47822
Olympia, WA 98504-7822

Send inquiries about DOH and its programs to the [Health Consumer Assistance Office](#)

Comments or questions regarding this Web site? Send email to [EH Help Desk](#) or call 360-236-3113.

Last Update : 10/16/2008

PwsContacts - PWS ID: 02176

PwsID: 02176
SystemName: DAVID DAY WATER SYSTEM
ContactName: TOM MULLIGAN
ContactTitle: OWNER
DayPhone: 2538512678
NitePhone: 2538512677
Address1:
Address2: 8317 83RD ST CT N W
City: GIG HARBOR
State: WA
ZipCode: 98332

[Close](#)

*Re-sent
3/22/02*

July 1, 2002

Note to File

This file needs either a proof examination, to be cancelled, or further research to find the owner. It's not abandoned. I have it's number written down on my Follow-up List, but won't be able to resolve it anytime soon.

Please see me if you have any questions.

Jill Walsh



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

February 22, 2002

CERTIFIED MAIL

Mulligan Taggart Partnership
Attn Tom Mulligan
8317 83rd St Court NW
Gig Harbor WA 98332

Dear Mr. Mulligan:

Re: Water Permit No. G2-28188

On **October 15, 2001**, we sent a letter reminding you of the need to file a Proof of Appropriation form or request an extension of time to put the water to full beneficial use on this project. Full beneficial use means the project is at full build out, all the water is in use, and the provisions of the permit have been met.

If you are using the full amount of water shown on your permit, please fill out the enclosed Proof of Appropriation form, have it notarized, and return it to this office. **The statutory recording fees are to be sent in as two separate remittances in the form of checks or money orders. Cash will NOT be accepted. Send both remittances to the Department of Ecology. Do not send the Proof of Appropriation form or fees if the water has not been put to full beneficial use.**

\$5.00 payable to the Department of Ecology
AND
\$11.00 payable to the Pierce County Auditor

Also, the County Auditor is requiring that we have the parcel number(s) for the point of withdrawal/diversion and the place of use if different. Please send those numbers to us with your recording fees.

By following the above instruction, your final water right will be prepared, sent to your County Auditor for recording, and then forwarded to you by your County Auditor.

If more time is required to put the water to full use, you should request an extension of time in writing. By statute, a **\$5.00 fee per year must accompany such a request, together with a showing of good cause why your extension should be granted and a report of progress made during the last year.** The Proof of Appropriation for your water right permit was due on **June 1, 1995**. If an extension is needed, please send **\$35.00** payable to the Department of Ecology along with your request to extend your file until **June 1, 2002**.

If we do not hear from you within **sixty (60) days** from the receipt of this letter, we shall be forced to assume that you are no longer interested in retaining the permit, and action will be taken resulting in cancellation.

If you have questions or concerns about this information, please call Tina Russell at (360) 407-6918, or myself at (360) 407-0270. Thank you for your attention to this matter.

Sincerely,

Teresa Hanson
Water Resources
TH:th (pareminder2.doc)

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

7000 1670 0005 4828 1946

OFFICIAL

DEPARTMENT OF ECOLOGY
 SOUTHWEST REGIONAL OFFICE
 POST OFFICE BOX 47775
 OLYMPIA, WA 98504-7775

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

Sent To
 Street, Apt. No., or PO Box No.
 City, State, ZIP+4

Mulligan Taggart Partnership
 G2-28188

PS Form 3800, May 2000

See Reverse for Instructions

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	<p>A. Received by <i>(Please Print Clearly)</i> B. Date of Delivery</p>
<p>1. Article Addressed to:</p> <p>MULLIGAN TAGGART PARTNERSHIP ATTN TOM MULLIGAN 8317 83RD ST COURT NW GIG HARBOR WA 98332</p>	<p>C. Signature</p> <p>X <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p>
	<p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p>
	<p>3. Service Type</p> <p><input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p>
	<p>4. Restricted Delivery? <i>(Extra Fee)</i> <input type="checkbox"/> Yes</p>
<p>2. Article Number <i>(Copy from service label)</i> 7000 1670 0005 4828 1946 SWR0/WR G2-28188</p>	
<p>PS Form 3811, July 1999 Domestic Return Receipt 102595-00-M-0952</p>	

unclaimed



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

October 15, 2001 *P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300*

Mulligan Taggart Partnership
Tom Mulligan
8317 83rd St Court NW
Gig Harbor WA 98332

Dear Mr. Mulligan:

Re: Water Permit No. G2-28188

While checking the progress of your water rights, I noticed that you have not sent in the **Proof of Appropriation** form.

If you are using the full amount of water shown on your permit, please fill out the enclosed Proof of Appropriation form, have it notarized, and return it to this office. **The statutory recording fees are to be sent in as two separate remittances in the form of checks or money orders. Cash will NOT be accepted. Send both remittances to the Department of Ecology.**

\$5.00 payable to the Department of Ecology
AND
\$10.00 payable to the Pierce County Auditor

Also, the County Auditor is requiring that we have the parcel number(s) for the point of withdrawal/diversion and the place of use if different. Please send those numbers to us with your recording fees.

By following the above instruction, your final water right will be prepared, sent to your County Auditor for recording, and then forwarded to you by your County Auditor.

If more time is required to put the water to full use, you should request an extension of time in writing. By statute, a **\$5.00 fee per year must accompany such a request, together with a showing of good cause why your extension should be granted and a report of progress made during the last year.** The Proof of Appropriation for your water right permit was due on **June 1, 1995**. If an extension is needed, please send **\$35.00** payable to the Department of Ecology along with your request to extend your file until **June 1, 2002**.

If we do not hear from you within **thirty (30) days** from the date of this letter, we shall be forced to assume that you are no longer interested in retaining the permit, and action will be taken resulting in cancellation.

If you have any questions or concerns about this process, please contact Tina Russell at (360) 407-6918 or myself at (360) 407-0270.

Sincerely,

Teresa Hanson
Water Resources

TH:th (pareminder1.doc)





STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

February 27, 2001

Tom Mulligan
8317 83rd St Crt NW
Gig Harbor WA 98332

Dear Mr. Mulligan:

RE: Water Permit No. G2-28188

While checking the progress of your water rights, I noticed that you have not sent in the Proof of Appropriation form.

Enclosed is a Proof of Appropriation form, which is to be filed when the water has been put to **full beneficial use**. Full beneficial use means that your project is at full build-out, all the water has been put to full use, and all the provisions of the permit have been met. I have enclosed a copy of your permit for your review. Please note the provisions on the back of the permit, including chloride analysis and metering. When your system is fully in use, you should take monthly meter readings and submit at least two years of monthly readings when you submit your Proof of Appropriation form. You may complete and file the Proof of Appropriation form for less water than authorized in the permit, if the project is complete and less water is being used than anticipated.

If more time is required to put the water to full use, you should request an extension of time in writing. By statute, a **\$5.00 fee per year must accompany such a request, together with a showing of good cause why your extension should be granted and a report of progress made during the last year**. The Proof of Appropriation for your water right permit was due on **June 1, 1995**. If an extension is needed, please send **\$35.00** payable to the Department of Ecology along with your request to extend your file until **June 1, 2002**.

If your project is at full build-out, all the water is put to full use, and all the provisions have been met, please submit the Proof of Appropriation form and metering information, along with filing fees. The fees for filing and recording your Water Right Certificate are **\$5.00 payable to the Department of Ecology and \$10.00 payable to the Pierce County Auditor**. Send the Proof of Appropriation form and both checks to the Department of Ecology. Also, the County Auditor is **requiring** that we have the **parcel number** for the point of diversion/withdrawal and the place of use, added to your certificate. **Do not submit your fees and paperwork until you have put the water to full beneficial use.**

Please send the Proof of Appropriation form and fees or the request for extension and fees, within thirty (30) days of the date of this letter.

If you have any questions or concerns on the above information or any other aspect of your water right permit, please call me at (360) 407-0290. Thank you for your attention to this matter.

Sincerely,

Deb Hunemuller
Water Resources

DH:th

Enclosures: Copy of G2-28188, Proof of Appropriation Form



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

November 6, 2000

Tom Mulligan
8317 83rd St Crt NW
Gig Harbor WA 98332

Dear Mr. Mulligan:

RE: Water Permit No. G2-28188

We have received your Notice of Completion of Construction associated with the above-numbered permit.


Enclosed is a Proof of Appropriation form, which is to be filed when the water has been put to **full beneficial use**. Full beneficial use means that your project is at full build-out, all the water has been put to full use, and all the provisions of the permit have been met. I have enclosed a copy of your permit for your review. Please note the provisions on the back of the permit, including chloride analysis and metering. When your system is fully in use, you should take monthly meter readings and submit at least two years of monthly readings when you submit your Proof of Appropriation form. You may complete and file the Proof of Appropriation form for less water than authorized in the permit, if the project is complete and less water is being used than anticipated.

The development schedule of your permit shows water was to have been put to full beneficial use by **June 1, 1995**. In order to extend the date of putting water to full beneficial use, please send a **\$30.00** extension fee made payable to the Department of Ecology (at \$5.00 per year, this would bring you current to **June 1, 2001**). If you cannot put the water to full beneficial use by July 1, 2001, please contact the Department of Ecology.

If your project is at full build-out, all the water is put to full use, and all the provisions have been met, please submit the Proof of Appropriation form and metering information, along with filing fees. The fees for filing and recording your Water Right Certificate are **\$5.00 payable to the Department of Ecology and \$10.00 payable to the Pierce County Auditor**. Send the Proof of Appropriation form and both checks to the Department of Ecology. Also, the County Auditor is **requiring** that we have the **parcel number** for the point of diversion/withdrawal and the place of use, added to your certificate. ***Do not submit your fees and paperwork until you have put the water to full beneficial use.***

If you have any questions or concerns on the above information or any other aspect of your water right permit, please call me at (360) 407-0290. Thank you for your attention to this matter.

Sincerely,


Deb Hunemuller
Water Resources

DH:th

Enclosures: Copy of G2-28188, Proof of Appropriation Form





STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

CONSTRUCTION NOTICE

RECEIVED

☐ BEGINNING OF CONSTRUCTION

☒ COMPLETION OF CONSTRUCTION

'00 OCT 23 P2:29

NAME <u>Tom Mulligan</u>	SURFACE WATER PERMIT NO. <u>W 8100000000</u>	GROUND WATER PERMIT NO. <u>G2-28188</u>
DATE CONSTRUCTION BEGAN <u>4/92</u>	DATE CONSTRUCTION COMPLETED <u>7/3/93</u>	DATE COMPLETION EXPECTED
IF CONSTRUCTION NOT COMPLETE, SHOW % COMPLETED AS OF THIS DATE		
% EQUIPMENT IN PLACE <u>100</u>	% MATERIAL IN PLACE <u>100</u>	% EXCAVATED <u>100</u>
% STRUCTURE <u>100</u>		
IF CONSTRUCTION HAS BEEN ABANDONED		
DATE ABANDONED	REASON ABANDONED	

REMARKS OR ANY ADDITIONAL INFORMATION WHICH MAY TEND TO SHOW GOOD FAITH IN THE PROSECUTION OF THE WORK

I certify I am the holder of the above permit issued by the Department of Ecology for the State of Washington, and in accordance with the terms of such permit and the limitations endorsed by the Department of Ecology have ☐ begun ☒ completed the actual construction of the work described in the permit.

cc OK send PA
10/27/00
SC

Mulligan
Signature of Applicant
8317 83rd St. Ct. NW
Present Address
Gig Harbor Wa 98332
City, State, Zip Code



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

October 2, 2000

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

CERTIFIED MAIL

Mulligan Taggart Partnership
Attn Tom Mulligan
8317 83rd St Court NW
Gig Harbor WA 98332

Dear Mr. Mulligan:

Re: Water Permit No. G2-28188

On **January 31, 2000**, you were sent a letter reminding you of the need to file a Completion of Construction or request an extension of time to complete construction on your projects. We have not received a response to that letter.

Please complete the enclosed Completion of Construction forms if you have completed construction on the water systems. If you have not completed construction, you may request an extension of time. The request must be in writing and contain the following if you can show good cause why your permits should not be cancelled.

1. A description of efforts you have made since the permits issued or the last extension was granted to complete construction.
2. An anticipated time schedule for completing construction and completing development of the water systems.
3. Reason(s) for needing the extension.
4. Any additional remarks concerning your projects that will assist us in making our decision of whether to grant the extension.
5. Check or money order for the **\$35.00** (at \$5.00 a year, this would bring you current until **June 1, 2001**) extension fee made payable to the Department of Ecology. Payments of extension fees are non-refundable regardless whether the extension is granted.

If we do not receive either the completed form or the request for extension with the extension fee **within sixty (60) days from receipt of this letter**, your permit will be canceled with no further contact. If you have any questions or concerns about any of this information, please call at (360) 407-0290. Thank you for your attention to this matter.

Sincerely,

Deb Hunemuller
Water Resources Program

DH:th (cc2.doc)



P 469 206 853

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED
NOT FOR INTERNATIONAL MAIL

(See Reverse)

U.S.G.P.O. 1989-234-555

PS Form 3800, June 1985

Sent to Mulligan Taggart Partnership	
Street and No. G2-28188	
P.O., State and ZIP Code	
Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt showing to whom and Date Delivered	
Return Receipt showing to whom, Date, and Address of Delivery	
TOTAL Postage and Fees	\$
Postmark or Date	



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

January 31, 2000

Mulligan Taggart Partnership
8317 83rd Street Court NW
Gig Harbor WA 98332

Dear Sir or Madame:

Re: Water Permit No. G2-28188

The above referenced permit is currently in the Completion of Construction stage of development. This letter is to remind you that the permit development schedule required that construction be completed on the water system on or before **June 1, 1994**, and that you notify this office that construction has been complete. Please complete the enclosed Completion of Construction form and submit it to this office as soon as possible if you have completed construction on the water system.

If you have not completed construction and are still interested in developing your project, you may request an extension of time. Since state law requires that the project be pursued with diligence and that good cause be shown before an extension can be granted, your extension request must be made in writing and contain the following:

1. A description of efforts you have made to complete construction on the project since the permit issued or the last extension was granted.
2. A time schedule for completing the project and developing the system.
3. Reason(s) for needing the extension.
4. Any additional remarks concerning your project that will assist us in making our decision of whether to grant the extension.
5. Check or money order for the **\$30.00** extension fee made payable to the Department of Ecology, (this would bring you current until **June 1, 2000**). Any payments of extension fees are non-refundable regardless whether the extension is granted.

Please submit the Completion of Construction form or the request for extension with the extension fee within thirty (30) days from the date of this letter. This office should be notified if you no longer intend to develop the project. If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or myself at (360) 407-0290. Thank you for your attention to this matter.

Sincerely,

Deb Hunemuller
Water Resources Program

DH:th (cc1.doc)
Enclosure



CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

July 1, 1993

Mulligan \ Taggart Partnership
7216 B 87th Avenue NW
Gig Harbor, Washington 98335

Dear Sir or Madame:

Re: Ground Water Permit No. G 2-28188 P

Enclosed is Permit No. G 2-28188 P. Our information indicates that you have begun construction of your project. We are enclosing a Notice of Completion which must be filed when you have finished the work.

If you cannot complete your project by June 1, 1994, you must contact this office.

Please read the enclosed information sheet, as well as both sides of your permit.

Sincerely,

A handwritten signature in cursive script, reading "Gale Blomstrom", is written over the typed name.

Gale Blomstrom
Water Resources Supervisor

GB:lo
Enclosure

NOTE: PLEASE ADVISE OF ANY ADDRESS CHANGE